



## Sicherungsscheiben VS Serrated Safety Washers VS



Art. No.	Size	Specification mm				N.W. 1K ( pcs ) kg
		D	d	t	H <sub>0</sub> min-max	
10105	M5	9	5.3	1	1.07-1.3	0.273
10106	M6	10	6.4	1	1.08-1.4	0.300
10108	M8	13	8.4	1.2	1.32-1.7	0.615
10110	M10	16	10.5	1.5	1.64-2	0.167
10112	M12	18	13	1.5	1.65-2.1	1.223
10114	M14	22	15	1.5	1.76-2.2	2.089
10116	M16	24	17	2	2.21-2.6	3.142
10118	M18	27	19	2	2.27-2.7	4.041
10120	M20	30	21	2	2.34-2.8	5.066
10122	M22	33	23	2	2.42-3.0	6.117
10124	M24	36	25.6	2.5	2.87-3.4	8.865
10125	M25.4	38	27	2.5	2.95-3.4	9.001
10127	M27	39	28.6	2.5	2.91-3.5	9.731
10130	M30	45	31.6	2.5	3.12-3.8	14.380
10133	M33	50	34.6	3.0	3.65-4.5	15.130
10136	M36	54	38	3.0	3.72-4.5	16.205

**Material: Carbon Steel, 1.4301, 1.4401**

## Sicherungsscheiben S Serrated Safety Washers S



Art. No.	Size	Specification mm				N.W. 1K (pcs) kg
		D	d	t	Ho min-max	
10102	M2	4	2.2	0.35	0.39-0.6	0.021
10125	M2.5	4.8	2.7	0.45	0.49-0.9	0.039
10103	M3	5.5	3.2	0.45	0.51-0.9	0.049
10135	M3.5	6	3.7	0.45	0.52-0.9	0.055
10104	M4	7	4.3	0.5	0.59-1.0	0.085
10105	M5	9	5.3	0.6	0.73-1.1	0.167
10106	M6	10	6.4	0.7	0.82-1.2	0.200
11635	M6.35	9.5	6.7	0.7	0.79-1.2	0.150
10107	M7	12	7.4	0.7	0.89-1.3	0.355
10108	M8	13	8.4	0.8	0.98-1.4	0.392
10110	M10	16	10.5	1	1.21-1.6	0.750
10111	M11.1	15.9	11.6	1	1.18-1.6	0.595
10112	M12	18	13	1.1	1.31-1.7	0.879
11127	M12.7	19	13.7	1.1	1.33-1.8	0.976
10114	M14	22	15	1.2	1.52-2.0	1.641
10116	M16	24	17	1.3	1.63-2.1	1.984
10118	M18	27	19	1.5	1.85-2.3	2.970
10119	M19	30	20	1.5	1.98-2.5	4.100
10120	M20	30	21	1.5	1.94-2.5	3.742
10122	M22	33	23	1.5	2.08-2.7	4.507
10124	M24	36	25.6	1.8	2.32-2.9	5.910
11254	M25.4	38	27	2	2.52-3.1	7.449
10127	M27	39	28.6	2	2.52-3.1	7.369
10130	M30	45	31.6	2	2.78-3.6	10.78
10133	M33	50	34.6	2.5	3.26-4.0	21.28
10136	M36	54	38	2.5	3.38-4.2	25.30

**Material: Carbon Steel, 1.4301, 1.4401**